


BELLEDOR

631.30.300.xxx-AA

Washbasin 3-hole mixer 1/2"



- with porcelain handles
- spout projection 5 45/64"; height 8 15/32"
- faucet body constructed of solid brass; metal escutcheons
- Neoperl aerated stream aerator M18,5 x 1
- flow rate 1.2 GPM
- double handle operation - valves with 1/4 turn ceramic internal upper parts 1/2", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- metal push-open drain included



BELLEDOR





631.30.360.xxx-AA

Wall washbasin 3-hole mixer $\frac{1}{2}$ ", assembly set



- with porcelain handles
- wall spout, projection $8 \frac{17}{64}$ "
- spout constructed of solid brass
- Neoperl aerated stream aerator M18,5 x 1
- flow rate 1.2 GPM
- socket, escutcheon
- double handle operation - $\frac{1}{4}$ turn ceramic internal upper parts $\frac{1}{2}$ ", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- must order 649.30.380 rough to complete

- **Required:**
649.30.380.000 | Concealed body $\frac{1}{2}$ "






BELLEDOR

649.30.380.000

Wall washbasin 3-hole mixer $\frac{1}{2}$ ", concealed body



- center distance $8 \frac{1}{32}$ "; connection: $\frac{1}{2}$ "
- for assembly set XXX.30.360.xxx
- removable plastic water guard





BELLEDOR

631.10.100.xxx-AA

Bidet 1-hole mixer 1/2"



- with porcelain handles
- spout projection 2 61/64"; height 3 47/64"
- faucet constructed of solid brass
- Neoperl laminar stream aerator M24 x 1 with ball joint
- flow rate 1.2 GPM
- double handle operation - 1/4 turn ceramic internal upper parts 1/2", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- metal pop-up drain included
- 2 pressure hoses M10x1 x 9/16"-UNEF x 17 13/32"
- Neoperl flexible hose technology



BELLEDOR



631.40.105.xxx-AA

Tub/shower mixer set ½", deck mount



- with porcelain handles
- spout made of solid brass construction; metal escutcheons
- spout projection 8 15/32"; height 10 15/64"
- Neoperl aerated stream aerator M24 x 1
- flow rate 6.6 GPM at 60 PSI
- automatic diverter tub/shower
- double handle operation - valves with 1/4 turn ceramic internal upper parts ½", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- metal shower hose 78 47/64"
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles

- **Recommended:**
649.40.160.000 | Assembly plate, complete




BELLEDOR

649.40.160.000

Assembly plate, complete



- for deck mounted tub/shower mixer
- inclusive pressure hoses $\frac{1}{2}" \times \frac{1}{2}" \times 23 \frac{5}{8}"$
- for hot and cold water
- for wet or dry construction
- plate with no visible screw fastening
- tub/shower mixers exchangeable
- high-quality materials and a noble appearance



BELLEDOR


631.20.155.xxx-AA

Tub/shower mixer for supply pipes, incl. shower set



- with porcelain handles
- free standing assembly; pillar tube with flange
- spout projection with pipes 8 $\frac{15}{32}$ "
- height 35 $\frac{5}{8}$ "; aerator height 32 $\frac{3}{64}$ "
- faucet made of solid brass construction
- Neoperl aerated stream aerator M24 x 1
- flowrate 7.1 GPM at 60 PSI
- double handle operation - 1/4 turn ceramic internal upper parts $\frac{1}{2}$ ", clockwise and counter-clockwise closure
- manual tub/shower diverter
- metal shower hose 49 $\frac{7}{32}$ "
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- must order 109.10.970 rough to complete

- **Required:**
109.10.970.000 | Assembly set for pre-installation




BELLEDOR

109.10.970.000

Assembly set for pre-installation

- joint plate with fixing set
- removable plastic water guard
- for assembly set XXX.20.155




BELLEDOR

631.11.100.xxx

Tub wall spout 1/2"



- spout projection 8 5/64"
- spout constructed of solid brass
- Neoperl aerated stream aerator M18,5 x 1
- special concealed wall attachment
- flowrate 6.6 GPM at 60 PSI
- connection 1/2"/14 NPT



BELLEDOR



631.40.520.xxx-AA

Concealed wall thermostat $\frac{3}{4}$ ", without flow control, assembly set



- design handle for temp. control
- locking device at 100,4°F
- must order 649.40.520 rough to complete

- **Required:**
649.40.520.000 | Concealed thermostat body $\frac{3}{4}$ "





BELLEDOR

649.40.520.000

Concealed thermostat body $\frac{3}{4}"$



- for assembly set XXX.40.520.xxx
- flow rate 12 GPM at 60 PSI
- volume control not included
- integrated screens and one outlet plug included
- bottom outlet for tub spout only
- if PEX is utilized, oversize the supply line to 1" for full flow capacity
- min. install depth: $1 \frac{15}{16}"$
- max. install depth: $2 \frac{17}{32}"$
- fast thermal element shut-down in case of cold water loss, fast response time to reduce hot and cold spikes
- complete with mud guard for installation



BELLEDOR

631.60.432.xxx-AA

Wall volume control $\frac{3}{4}$ " or wall diverter $\frac{1}{2}$ ", assembly set only




- design handle
- must order 649.20.410.000 rough to complete (Wall volume control $\frac{3}{4}$ ")
- must order 649.40.620.000 rough to complete (Wall diverter $\frac{1}{2}$ ")


• **Required:**

649.20.410.000 | Concealed wall valve $\frac{3}{4}$ ", rough only

649.40.620.000 | 4-port, 3-way dedicated diverter rough only



with concealed wall valve 649.40.620.000



with concealed wall valve 649.20.410.000



BELLEDOR

649.20.410.000

Concealed wall valve $\frac{3}{4}$ ", rough only



- for assembly set XXX.60.432 or XXX.60.435
- 1 inlet, 1 outlet
- $\frac{3}{4}$ " NPT inlet, $\frac{3}{4}$ " NPT outlet
- back of valve to finished wall 4" min., 4 $\frac{1}{2}$ " max
- one extension kit included. Cut to length desired
- extension kits can be stacked. Order part # 649.20.551
- flow rate 16 GPM at 60 PSI




BELLEDOR

649.40.620.000

4-port, 3-way dedicated diverter, rough only



- for assembly set XXX.60.432 or XXX.60.435
- solid brass construction; ceramic disc cartridge
- must use with volume control trim
- 1/2" M NPT inlet; 3 x 1/2" M NPT outlets
- flow is dedicated. May not be split into two outlets at once
- flow rate 5 GPM at 60 PSI
- CALGreen compliant
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant




BELLEDOR

631.13.315.xxx

Shower bar set, complete

- wall bar $31 \frac{19}{64}"$
- height-adjustable hand shower holder with slider
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- metal shower hose $68 \frac{57}{64}"$, both sides
- with turning cone




BELLEDOR

631.13.150.xxx

Wall elbow connection $\frac{1}{2}$ ", without cradle

- discharge $\frac{1}{2}$ "
- with backflow preventer, escutcheon





BELLEDOR

631.13.215.xxx

Shower combination



- wall fitting and elbow connection $\frac{1}{2}$ "
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- metal shower hose 59 $\frac{1}{16}$ " both sides
- with turning cone




BELLEDOR

649.13.930.xxx

Rain shower head, $\varnothing 11 \frac{13}{16}"$



- full metal body
 - with ball joint
 - easy to clean silicon nozzles
 - 1.8 GPM flow rate
 - connection $G \frac{1}{2}"$
- Please order wall or ceiling bracket with the rain shower head separately.




BELLEDOR

649.13.755.xxx

Wall bracket 1/2"

· projection 13 ²⁵/₃₂"




BELLEDOR

649.13.519.xxx

Body spray side shower 1/2"



- escutcheon $\varnothing 5 \frac{1}{8}"$, wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection G1/2"





BELLEDOR

649.13.391.xxx

Handshower 1/2"



- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"




BELLEDDOR

631.00.002.xxx

Double towel bar

- wall version
- swivelling bars, approx. 16 $\frac{9}{64}$ "
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDOR

631.00.047.xxx

Towel ring



- wall version
- $\varnothing$ approx. $7 \frac{3}{64}"$
- closed version
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDOR

631.00.022.xxx

Double robe hanger

- wall version
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDOR

631.00.040.xxx

Bath towel bar

- wall version
- approx. 31 $\frac{7}{64}$ "
- special dimensions are possible on request for an additional charge of 10%
- constructed of solid brass
- including mounting plate, screws and dowels






BELLEDOR

631.00.048.xxx

Bath towel shelf

- wall version
- approx. $23 \frac{5}{8}"$ x $10 \frac{15}{64}"$
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDDOR

631.00.031.xxx

Bath towel bar

- wall version
- approx. 12 $\frac{63}{64}$ "
- constructed of solid brass
- including mounting plate, screws and dowels






BELLEDDOR

631.00.030.xxx

Shower door handle

- wall version
- approx. 21 ²¹/₃₂"
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDOR

634.00.104.xxx

Guest towel basket, angular



- wall version
- with shelf
- basket size $10 \frac{15}{64}'' \times 5 \frac{29}{32}'' \times 7 \frac{31}{64}''$
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDDOR

631.00.007.xxx

Soap dish holder, complete

- wall version
- crystal glass dish, frosted
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDOR

631.00.017.xxx

Soap dish holder, complete

- free standing version
- crystal glass dish, frosted
- constructed of solid brass






BELLEDOR

634.00.105.xxx

Sponge basket


- wall version
- rectangular, $10 \frac{15}{64}" \times 5 \frac{1}{8}"$
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDOR

634.00.106.xxx

Corner sponge basket



- wall version
- $7 \frac{43}{64}'' \times 7 \frac{43}{64}''$
- constructed of solid brass
- including mounting plate, screws and dowels





BELLEDOR

631.00.006.xxx

Soap dispenser, complete



- wall version
- crystal glass, frosted
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDOR

631.00.016.xxx

Soap dispenser, complete



- free standing version
- crystal glass, frosted
- constructed of solid brass





BELLEDOR

631.00.036.xxx

Tumbler holder, complete



- wall version
- crystal glass tumbler, frosted
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDDOR

631.00.046.xxx

Tumbler holder, complete



- free standing version
- crystal glass tumbler, frosted
- constructed of solid brass





BELLEDDOR

631.00.014.xxx

Toilet paper roll holder



- wall version
- with lid
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDOR

631.00.015.xxx

Spare toilet paper roll holder

- wall version
- constructed of solid brass
- including mounting plate, screws and dowels




BELLEDOR

631.00.000.xxx

Toilet brush holder set, complete

- wall version
- crystal glass, frosted
- constructed of solid brass
- including mounting plate, screws and dowels



BELLEDOR

631.00.001.xxx

Toilet brush holder set, complete

- floor standing model
- brush holder out of brass

