


VALENCIA

638.30.300.xxx-AA

Washbasin 3-hole mixer 1/2"



- spout projection 5 29/32"; height 10 5/8"
- swivelling spout
- faucet body constructed of solid brass
- Neoperl aerated stream aerator M22 x 1
- flow rate 1.2 GPM
- metal handles and escutcheons
- double handle operation - valves with 1/4 turn ceramic internal upper parts 1/2", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- metal push-open drain included



VALENCIA





638.30.360.xxx-AA

Wall washbasin 3-hole mixer, assembly set



- wall spout, projection 9 1/4"
- spout constructed of solid brass
- Neoperl aerated stream aerator M22 x 1
- flow rate 1.2 GPM
- metal handles and escutcheons
- double handle operation - 1/4 turn ceramic internal upper parts 1/2", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- must order 649.30.380 rough to complete

- **Required:**
649.30.380.000 | Concealed body 1/2"






VALENCIA

649.30.380.000

Wall washbasin 3-hole mixer $\frac{1}{2}$ ", concealed body

- center distance $8 \frac{1}{32}$ "; connection: $\frac{1}{2}$ "
- for assembly set XXX.30.360.xxx
- removable plastic water guard



VALENCIA



638.20.360.xxx-AA

Single lever wall washbasin mixer ½", assembly set



- projection 9 ¼"
- aerator M24 x 1
- escutcheons

- **Required:**
649.20.362.000 | Single lever wall washbasin mixer ½",
concealed body, control lever on the right




VALENCIA

638.10.111.xxx-AA
Single lever bidet mixer



- spout projection $4 \frac{23}{32}$ " ; height $7 \frac{7}{8}$ "
- swivelling spout
- faucet constructed of solid brass
- Neoperl aerated stream aerator M24 x 1 with ball joint
- flow rate 1.2 GPM
- single handle operation
- cartridge with ceramic discs
- metal pop-up drain included
- 2 pressure hoses M10x1 x $\frac{9}{16}$ "-UNEF x $17 \frac{13}{32}$ "
- Neoperl flexible hose technology



VALENCIA



638.40.100.xxx-AA

Tub/shower mixer set 1/2", deck mount



- spout projection 8 $\frac{55}{64}$ "; height 12 $\frac{19}{32}$ "
- spout made of solid brass construction
- Neoperl aerated stream aerator M22 x 1
- flow rate 6.6 GPM at 60 PSI
- metal handles and escutcheons
- automatic diverter tub/shower
- double handle operation - valves with 1/4 turn ceramic internal upper parts 1/2", clockwise and counter-clockwise closure
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- metal shower hose 78 $\frac{47}{64}$ "
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles

- **Recommended:**
649.40.160.000 | Assembly plate, complete




VALENCIA

649.40.160.000

Assembly plate, complete




- for deck mounted tub/shower mixer
- inclusive pressure hoses $\frac{1}{2}" \times \frac{1}{2}" \times 23 \frac{5}{8}"$
- for hot and cold water
- for wet or dry construction
- plate with no visible screw fastening
- tub/shower mixers exchangeable
- high-quality materials and a noble appearance




VALENCIA

638.10.820.xxx-AA
Tub/shower mixer set



- free standing assembly
- faucet body, spout and handle constructed of solid brass
- single handle operation; cartridge with ceramic discs
- spout projection 13 $\frac{3}{16}$ "
- swivelling spout
- Neoperl aerated stream aerator M28 x 1
- flow rate 6 GPM at 60 PSI
- manual tub/shower diverter
- metal shower hose 59 $\frac{1}{16}$ "
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- pillar tube with flange; metal escutcheon
- height 37 $\frac{1}{64}$ " - 40 $\frac{5}{32}$ "
- aerator height 30 $\frac{5}{16}$ " - 33 $\frac{15}{32}$ "

- **Required:**
649.10.970.000 | Assembly set for pre-installation





VALENCIA

649.10.970.000

Assembly set for pre-installation



- for assembly set XXX.10.820
 - adjustable to accommodate uneven floors
 - mud guard with min/max floor depth
 - rough can be installed and rotated to fit pipes
 - trim can be rotated 360 degrees
 - flowrate 6 GPM
-
- To order a complete unit, please order the concealed body with an assembly set




VALENCIA

638.11.100.xxx

Tub wall spout 1/2"



- spout projection 9 1/4"
- spout constructed of solid brass
- Neoperl aerated stream aerator M22 x 1
- special concealed wall attachment
- flowrate 6.6 GPM at 60 PSI
- connection 1/2" NPT



VALENCIA


638.40.520.xxx-AA

Concealed wall thermostat $\frac{3}{4}$ ", without flow control, assembly set



- design handle for temp. control
- locking device at 100,4° F

- **Required:**
649.40.520.000 | Concealed thermostat body $\frac{3}{4}$ "





VALENCIA

649.40.520.000

Concealed thermostat body $\frac{3}{4}"$



- for assembly set XXX.40.520.xxx
- flow rate 12 GPM at 60 PSI
- volume control not included
- integrated screens and one outlet plug included
- bottom outlet for tub spout only
- if PEX is utilized, oversize the supply line to 1" for full flow capacity
- min. install depth: $1 \frac{15}{16}"$
- max. install depth: $2 \frac{17}{32}"$
- fast thermal element shut-down in case of cold water loss, fast response time to reduce hot and cold spikes
- complete with mud guard for installation



VALENCIA

638.60.432.xxx-AA

Wall volume control $\frac{3}{4}$ " or wall diverter $\frac{1}{2}$ ", assembly set only




- design handle
- must order 649.20.410.000 rough to complete (Wall volume control $\frac{3}{4}$ ")
- must order 649.40.620.000 rough to complete (Wall diverter $\frac{1}{2}$ ")


• **Required:**

649.20.410.000 | Concealed wall valve $\frac{3}{4}$ ", rough only

649.40.620.000 | 4-port,3-way dedicated diverter rough only



together with 64940620



together with 64920410



VALENCIA

649.20.410.000

Concealed wall valve $\frac{3}{4}$ ", rough only



- for assembly set XXX.60.432 or XXX.60.435
- 1 inlet, 1 outlet
- $\frac{3}{4}$ " NPT inlet, $\frac{3}{4}$ " NPT outlet
- back of valve to finished wall 4" min., 4 $\frac{1}{2}$ " max
- one extension kit included. Cut to length desired
- extension kits can be stacked. Order part # 649.20.551
- flow rate 16 GPM at 60 PSI




VALENCIA

649.40.620.000

4-port,3-way dedicated diverter, rough only



- for assembly set XXX.60.432 or XXX.60.435
- solid brass construction; ceramic disc cartridge
- must use with volume control trim
- 1/2" M NPT inlet; 3 x 1/2" M NPT outlets
- flow is dedicated. May not be split into two outlets at once
- flow rate 5 GPM at 60 PSI
- CALGreen compliant
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant





VALENCIA

638.13.300.xxx

Shower bar set, complete

- wall bar 31 1/2"
- height-adjustable hand shower holder with slider
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- metal shower hose 68 57/64", both sides
- with turning cone




VALENCIA

638.13.150.xxx

Wall elbow connection 1/2", without cradle

- discharge 1/2"
- with backflow preventer, escutcheon





VALENCIA

638.13.210.xxx

Shower combination



- wall fitting and elbow connection $\frac{1}{2}$ "
- metal 1-spray hand shower 1.8 GPM with easy to clean silicon nozzles and backflow preventer
- metal shower hose 59 $\frac{1}{16}$ ", both sides with turning cone



VALENCIA


649.13.845.xxx

Rain shower head, $\varnothing 11 \frac{13}{16}"$



- full metal body
- 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection $G \frac{1}{2}"$

- Please order wall or ceiling bracket with the rain shower head separately.




VALENCIA

649.13.755.xxx

Wall bracket 1/2"

· projection 13 ²⁵/₃₂"




VALENCIA

649.13.519.xxx

Body spray side shower 1/2"



- escutcheon $\varnothing 5 \frac{1}{8}"$, wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection G 1/2"





VALENCIA

649.13.391.xxx

Handshower 1/2"



- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"




VALENCIA

638.00.002.xxx

Single towel bar

- wall version
- rigid bar, approx. 17 $\frac{21}{64}$ "
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.047.xxx

Towel ring



- wall model
- open version
- unmovable
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.023.xxx

Robe hanger

- wall version
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.040.xxx

Bath towel bar

- wall version
- approx. 31 7/64"
- special dimensions are possible on request for an additional charge of 10%
- constructed of solid brass
- including mounting plate, screws and dowels





31 7/64"

VALENCIA

638.00.031.xxx

Bath towel bar

- wall version
- approx. 11 $\frac{27}{64}$ "
- constructed of solid brass
- including mounting plate, screws and dowels






Specification Sheet

VALENCIA

638.00.030.xxx

Shower door handle

- wall version
- approx. 21 ²¹/₃₂"
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

634.00.104.xxx

Guest towel basket, angular



- wall version
- with shelf
- basket size $10 \frac{15}{64}'' \times 5 \frac{29}{32}'' \times 7 \frac{31}{64}''$
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.007.xxx

Soap dish holder, complete

- wall version
- crystal glass dish, frosted
- constructed of solid brass
- including mounting plate, screws and dowels




VALENCIA

638.00.017.xxx

Soap dish holder, complete

- free standing version
- crystal glass dish, frosted
- constructed of solid brass






VALENCIA

634.00.105.xxx

Sponge basket

- wall version
- rectangular, $10 \frac{15}{64}" \times 5 \frac{1}{8}"$
- constructed of solid brass
- including mounting plate, screws and dowels






VALENCIA

634.00.106.xxx

Corner sponge basket

- wall version
- $7\frac{43}{64}" \times 7\frac{43}{64}"$
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.006.xxx

Soap dispenser, complete



- wall version
- crystal glass, frosted
- constructed of solid brass
- including mounting plate, screws and dowels




VALENCIA

638.00.016.xxx

Soap dispenser, complete



- free standing version
- crystal glass, frosted
- constructed of solid brass




VALENCIA

638.00.046.xxx

Tumbler holder, complete



- free standing version
- crystal glass tumbler, frosted
- constructed of solid brass





VALENCIA

638.00.036.xxx

Tumbler holder, complete



- wall version
- crystal glass tumbler, frosted
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.014.xxx

Toilet paper roll holder



- wall model
- with lid
- constructed of solid brass
- including mounting plate, screws and dowels





VALENCIA

638.00.015.xxx

Spare toilet paper roll holder



- wall version
- constructed of solid brass
- including mounting plate, screws and dowels
- can be used as a "paper holder without cover" when rotated by 90 °




VALENCIA

638.00.000.xxx

Toilet brush holder set, complete

- wall version
- crystal glass, frosted
- constructed of solid brass
- including mounting plate, screws and dowels



VALENCIA

638.00.001.xxx

Toilet brush holder set, complete

- floor standing model
- constructed of solid brass

