




649.14.640.xxx
Rainheaven 24 1/64" x 24 1/64"




- size 24 1/64" x 24 1/64"
- 605 jets with anticalcareous system
- 2 mm ultra-thin stainless steel
- recommended water flow above 5.3 GPM.
- selectable (via concealed Wall-valve module system): middle and/or external segments
- easy to mount and maintain
- ceiling built-in version
- jet types: rainfall, atomizer
- jet zones: body zone - perimetral rain shower zone, rain zone - internal rain shower zone, complete zone, atomizer zone
- control of the 3 jet zones must be carried out by 3 valves




649.14.650.xxx
Rainheaven 24 1/64" x 24 1/64"





- size 24 1/64" x 24 1/64"
- 605 jets with anticalcareous system
- 2 mm ultra-thin stainless steel
- recommended water flow above 5.3 GPM.
- selectable (via concealed Wall-valve module system): middle and/or external segments
- easy to mount and maintain
- ceiling built-in version
- jet types: rainfall
- jet zones: body zone - perimetral rain shower zone, rain zone - internal rain shower zone, complete zone
- control of the 2 jet zones must be carried out by 2 valves



649.14.660.xxx
Rainheaven 27 $\frac{9}{16}$ " x 19 $\frac{11}{16}$ "




- size 27 $\frac{9}{16}$ " x 19 $\frac{11}{16}$ "
- 484 jets with anticalcareous system
- 2 mm ultra-thin stainless steel
- recommended water flow above 5.3 GPM.
- selectable (via concealed Wall-valve module system)
- easy to mount and maintain
- ceiling built-in version
- jet types: 1. Rainfall | 2. cascade right side | 3. cascade left side | 4. atomizer
- control of the 4 jet zones must be carried out by 4 valves



649.14.670.xxx
Rainheaven 27 $\frac{9}{16}$ " x 19 $\frac{11}{16}$ "




- size 27 $\frac{9}{16}$ " x 19 $\frac{11}{16}$ "
- 484 jets with anticalcareous system
- 2 mm ultra-thin stainless steel
- recommended water flow above 5.3 GPM.
- selectable (via concealed Wall-valve module system)
- easy to mount and maintain
- ceiling built-in version
- jet types: 1. Rainfall | 2. cascade right side | 3. cascade left side
- control of the 3 jet zones must be carried out by 3 valves




649.13.974.xxx

Rain shower head 1/2"




- size 9 29/64" x 9 29/64" (240 x 240 mm)
- full metal body; 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G 1/2"

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.975.xxx

Rain shower head $\frac{1}{2}"$, $11 \frac{13}{16}"$ x $11 \frac{13}{16}"$




- full metal body
- 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection $G \frac{1}{2}"$

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.980.xxx

Rain shower head 1/2"



- size 15 3/4" x 15 3/4" (400 x 400 mm)
- full metal body; 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 2.5 GPM flow rate
- connection G 1/2"

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.844.xxx

Rain shower head 1/2"



- size $\varnothing 9 \frac{29}{64}"$ ($\varnothing 240$ mm)
- full metal body; 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.845.xxx

Rain shower head, $\varnothing 11 \frac{13}{16}"$




- full metal body
- 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection $G \frac{1}{2}"$

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.850.xxx

Rain shower head 1/2"



- size $\varnothing 15 \frac{3}{4}"$ ($\varnothing 400$ mm)
- full metal body; 3 mm ultra-thin
- with ball joint
- easy to clean silicon nozzles
- 2.5 GPM flow rate
- connection G 1/2"


- Please order wall or ceiling bracket with the rain shower head separately.



649.13.885.xxx
Rain shower head, $\varnothing 9 \frac{27}{32}"$




- full metal body
 - with ball joint
 - easy to clean silicon nozzles
 - 1.8 GPM flow rate
 - connection $G \frac{1}{2}"$
-
- Please order wall or ceiling bracket with the rain shower head separately.



649.13.930.xxx
Rain shower head, $\varnothing 11 \frac{13}{16}"$




- full metal body
 - with ball joint
 - easy to clean silicon nozzles
 - 1.8 GPM flow rate
 - connection $G\frac{1}{2}"$
- Please order wall or ceiling bracket with the rain shower head separately.



649.13.920.xxx
Rain shower head 1/2"



- size $\varnothing 7 \frac{7}{8}"$ ($\varnothing 200$ mm)
 - full metal body
 - with ball joint
 - easy to clean silicon nozzles
 - 1.8 GPM flow rate
 - connection $G \frac{1}{2}"$
- Please order wall or ceiling bracket with the rain shower head separately.





649.13.615.xxx

Body spray shower head 1/2"




- $\varnothing 9 \frac{1}{16}"$, 75 jets
- full metal body
- with ball joint
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection $G \frac{1}{2}"$

- Please order wall or ceiling bracket with the rain shower head separately.




649.13.650.xxx
Shower head 1/2"

- with 6 jets
- shower head ABS
- easy to clean silicon nozzles
- 2.5 GPM flow rate
- connection NPT 1/2"
- with metal wall bracket




637.13.625.xxx
Wall bracket 1/2"

· projection 15 3/4"




649.13.750.xxx
Wall bracket 1/2"

· projection 19 11/16" (500 mm)




649.13.755.xxx
Wall bracket 1/2"

· projection 13 ²⁵/₃₂"




649.13.785.xxx
Wall bracket 1/2"

· projection 13 ²⁵/₃₂"




649.13.625.xxx
Wall bracket 1/2"

· projection 6 3/8"




649.13.765.xxx
Ceiling bracket 1/2"

· length 13" (330 mm)




649.13.770.xxx
Ceiling bracket 1/2"

· length 7 1/2" (190 mm)



649.13.771.xxx
Ceiling bracket 1/2"


· length 5 29/32" (150 mm)



649.13.460.xxx
Body spray side shower 1/2"




- escutcheon
- swivel shower head
- easy to clean silicon nozzles
- 2 jets: soft, massage
- 1.2 GPM flow rate
- connection G1/2"



649.13.470.xxx
Body spray side shower 1/2"




- escutcheon $\varnothing 5 \frac{1}{8}"$, wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection $G \frac{1}{2}"$



649.13.526.xxx
Body spray side shower 1/2"




- escutcheon 4 59/64" x 4 59/64", wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection G1/2"



649.13.530.xxx
Body spray side shower 1/2"




- escutcheon 4 59/64" x 4 59/64" (125 x 125 mm), wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection G1/2"



649.13.519.xxx
Body spray side shower 1/2"





- escutcheon $\varnothing 5 \frac{1}{8}"$, wall assembly
- swivel shower head, 20°
- easy to clean silicon nozzles
- material: ABS
- 1.2 GPM flow rate
- connection G1/2"



649.13.391.xxx
Handshower 1/2"




- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"



649.13.330.xxx
Hand shower 1/2"




- heavy cast brass
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"



649.13.371.xxx
Hand shower 1/2"




- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"



649.13.375.xxx
Hand shower 1/2"



- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"



649.13.361.xxx
Hand shower 1/2"



- material metal
- 1-spray hand shower
- easy to clean silicon nozzles
- 1.8 GPM flow rate
- connection G1/2"

